

Discharge Monitoring Report - STA 3-4 - Submittal Date: June 2005

Monitoring Period: March 01, 2005 - March 31, 2005

Permit # FL0300195

Discharge Point Number: D001

[] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Monitoring and Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small> 	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 6/9/2005
--	---	---	--	-------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-2 outflow G376B	Calc	Daily		110	282	cfs
Dissolved Oxygen	00300 1 EFF-2 outflow G376B	In Situ	Weekly	1.21			mg/l
Dissolved Oxygen	00300 5 SWU-1 inflow G370	In Situ	Weekly	3.15			mg/l
pH	00400 1 EFF-2 outflow G376B	In Situ	Weekly	7.21		7.43	SU field
Total Phosphorus	00665 P EFF-2 outflow G376B	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.014		mg/l as P
Total Phosphorus	00665 P SWU-1 inflow G370	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.116		mg/l as P

Discharge Monitoring Report - STA 3-4 - Submittal Date: June 2005

Monitoring Period: March 01, 2005 - March 31, 2005

Permit # FL0300195

Discharge Point Number: D002

[] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Monitoring and Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 6/9/2005
--	---	---	--	-------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-2 outflow G376E	Calc	Daily		93	269	cfs
Dissolved Oxygen	00300 1 EFF-2 outflow G376E	In Situ	Weekly	1.93			mg/l
Dissolved Oxygen	00300 5 SWU-2 inflow G370	In Situ	Weekly	3.15			mg/l
pH	00400 1 EFF-2 outflow G376E	In Situ	Weekly	7.32		7.44	SU field
Total Phosphorus	00665 P EFF-2 outflow G376E	Grab / Flow - Proportional Composite	Weekly		Flow -w t Mean 0.017		mg/l as P
Total Phosphorus	00665 Y SWU-2 inflow G370	Grab / Flow - Proportional Composite	Weekly		Flow -w t Mean 0.116		mg/l as P

Discharge Monitoring Report - STA 3-4 - Submittal Date: June 2005

Monitoring Period: March 01, 2005 - March 31, 2005

Permit # FL0300195

Discharge Point Number: D003

[] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Monitoring and Assessment Department	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS	<div style="border-top: 1px dotted black; text-align: center; font-size: small;"> SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT </div>	TELEPHONE NO. 561-682-6820	DATE 6/9/2005
--	--	---	-----------------------------------	----------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-3 outflow G379B	Calc	Daily		NODI=9	195	cfs
Dissolved Oxygen	00300 1 EFF-3 outflow G379B	In Situ	Weekly	3.29			mg/l
Dissolved Oxygen	00300 5 SWU-3 inflow G372	In Situ	Weekly	4.06			mg/l
pH	00400 1 EFF-3 outflow G379B	In Situ	Weekly	7.42		8.03	SU field
Total Phosphorus	00665 Y EFF-3 outflow G379B	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean NODI=9		mg/l as P
Total Phosphorus	00665 P SWU-3 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean NODI=9		mg/l as P

Discharge Monitoring Report - STA 3-4 - Submittal Date: June 2005

Monitoring Period: March 01, 2005 - March 31, 2005

Permit # FL0300195

Discharge Point Number: D004

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Monitoring and Assessment Department	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	TELEPHONE NO. 561-682-6820	DATE 6/9/2005
--	--	---	-----------------------------------	----------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-4 outflow G379D	Calc	Daily		NODI=9	233	cfs
Dissolved Oxygen	00300 1 EFF-4 outflow G379D	In Situ	Weekly	6.58			mg/l
Dissolved Oxygen	00300 5 SWU-4 inflow G372	In Situ	Weekly	4.06			mg/l
pH	00400 1 EFF-4 outflow G379D	In Situ	Weekly	7.61		8.01	SU field
Total Phosphorus	00665 Y EFF-4 outflow G379D	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean NODI=9		mg/l as P
Total Phosphorus	00665 P SWU-4 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean NODI=9		mg/l as P

Discharge Monitoring Report - STA 3-4 - Submittal Date: June 2005

Monitoring Period: March 01, 2005 - March 31, 2005

Permit # FL0300195

Discharge Point Number: D005

[X] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Monitoring and Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 6/9/2005			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-5 outflow G381B	Calc	Daily		NODI=9	0	cfs
Dissolved Oxygen	00300 1 EFF-5 outflow G381B	In Situ	Weekly	3.25			mg/l
Dissolved Oxygen	00300 5 SWU-5 inflow G372	In Situ	Weekly	4.06			mg/l
pH	00400 1 EFF-5 outflow G381B	In Situ	Weekly	7.40		7.40	SU field
Total Phosphorus	00665 Y EFF-5 outflow G381B	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean NODI=9		mg/l as P
Total Phosphorus	00665 P SWU-5 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean NODI=9		mg/l as P

Discharge Monitoring Report - STA 3-4 - Submittal Date: June 2005

Monitoring Period: March 01, 2005 - March 31, 2005

Permit # FL0300195

Discharge Point Number: D006

[X] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Monitoring and Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 6/9/2005			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-6 outflow G381E	Calc	Daily		NODI=9	0	cfs
Dissolved Oxygen	00300 1 EFF-6 outflow G381E	In Situ	Weekly	3.47			mg/l
Dissolved Oxygen	00300 5 SWU-6 inflow G372	In Situ	Weekly	4.06			mg/l
pH	00400 1 EFF-6 outflow G381E	In Situ	Weekly	7.46		7.46	SU field
Total Phosphorus	00665 Y EFF-6 outflow G381E	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean NODI=9		mg/l as P
Total Phosphorus	00665 P SWU-6 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean NODI=9		mg/l as P